

BALONEVI SAN.TIC.A.S
 Istanbul Deri Org.San.Bolgesi
 Mr. Mustafa Oguz Vanli
 Kadife Caddesi R4 Ozel Parsel No:1
 TR-34975 Tuzla Istanbul
Turkey


Kerstin Graf
 Customer Service Consultant
 Tel.: +49 6128 744-303, Fax:
 kerstin.graf@sgs.com
 Connectivity & Products
 Non Food



Taunusstein, 02.07.2024

Test-report no. 6944615

Original Sample ID	Sample Description	Sample Receipt Date
240589143	12 BALLOON WHITE BBP05100-01, BBPK0510001, BBP06100-01, BBP10100-01, BBP10101-01, BBP10102-01, BBP10103-01, BBP12025-01, BBP12050-01, BBP12100-01, BBP12101-01, BBPK1202501, BBPK1205001, BBPK1210101, BBPK1210001, BBPS260050-01, BBPS260100-01, BBPS260101-01, BBP05101-01, BBP09101-01, BBPK0510101	17/06/2024



General Information

SGS-Client's ID	:	10083506
SGS-Customer-Order	:	7037407
Ordering date	:	14/06/2024
Testing period	:	18/06/2024 – 25/06/2024
Testing scope	:	Test according to client's requirements

Assessment

Overall assessment	Pass
The contents of all parameters tested are below their respective limits.	

SGS INSTITUT FRESENIUS GmbH

This test report was electronically created and released:

	Date	Name	Function	Department
Created	27.06.2024	i. A. Malika Michel	Customer Service Assistant	Connectivity & Products (C&P) - TJP
Released	02.07.2024	i.A. Sabrina Sattler	Customer Service Consultant	Connectivity & Products

Test report no. 6944615

BALONEVI SAN.TIC.A.S Istanbul Deri Org.San.Bolgesi
 Kadife Caddesi R4 Ozel Parsel No:1
 TR-34975 Tuzla Istanbul

SGS Order No.: 7037407
 Date: 02.07.2024
 Page 2/4

Summary of results

Test	Result
Migratable N-Nitrosamines and N-nitrosatable substances	Pass

Note:

Conclusions on pass/fail are based on the test result from the actual sampling of the received sample(s).
 Conclusions are based on the relevant requirements; measurement uncertainties are not taken into account. Only results above the relevant detection limit are taken into account for the calculation of sums.
 Test was conducted on composite of random parts of the item as per client's request and the test result is the overall result.
 The composite sampling method is based on the client's special request and could be a modification from the testing standard.
 For 2-composite mix with results exceeding one half of the relevant requirements or 3-composite mix with results exceeding one third of the relevant requirements, the composite sample may have the possibility of one or more components that can lead to a failure result, it is recommended to test on individual basis.

Test report no. 6944615

BALONEVI SAN.TIC.A.S Istanbul Deri Org.San.Bolgesi
Kadife Caddesi R4 Ozel Parsel No:1
TR-34975 Tuzla Istanbul

SGS Order No.: 7037407
Date: 02.07.2024
Page 3/4

Photo documentation

Sample 240589143



Test report no. 6944615

BALONEVI SAN.TIC.A.S Istanbul Deri Org.San.Bolgesi
 Kadife Caddesi R4 Ozel Parsel No:1
 TR-34975 Tuzla Istanbul

SGS Order No.: 7037407
 Date: 02.07.2024
 Page 4/4

Analytical results

Migratable N-Nitrosamines and N-nitrosatable substances

Test Method

Nitrosamines EN 71-12:2016 LC-MS/MS

<u>Sample(s)</u>	<u>Unit</u>	<u>Limit of Quantification</u>	<u>Migratable N-Nitrosamines</u> <u>240589143</u>	<u>Migratable N-nitrosatable substances</u> <u>240589143</u>
N-Nitrosodimethylamine (NDMA) (62-75-9)	mg/kg	0.005	0.018	0.145
N-Nitrosodiethylamine (NDEA) (55-18-5)	mg/kg	0.002	< 0.002	0.005
N-Nitrosodiisopropylamine (NDIPA) (601-77-4)	mg/kg	0.001	< 0.001	< 0.001
N-Nitrosodipropylamine (NDPA) (621-64-7)	mg/kg	0.001	< 0.001	< 0.001
N-Nitrosodiisobutylamine (NDiBA) (997-95-5)	mg/kg	0.001	< 0.001	< 0.001
N-Nitrosodibutylamine (NDBA) (924-16-3)	mg/kg	0.001	0.013	0.013
N-Nitrosopiperidine (NPIP) (100-75-4)	mg/kg	0.001	< 0.001	< 0.001
N-Nitrosopyrrolidine (NPYR) (930-55-2)	mg/kg	0.002	< 0.002	< 0.002
N-Nitrosomorpholine (NMOR) (59-89-2)	mg/kg	0.002	< 0.002	< 0.002
N-Nitroso N-ethyl N-phenylamine (NEPhA) (612-64-6)	mg/kg	0.002	< 0.002	< 0.002
N-Nitroso N-methyl N-phenylamine (NMPHA) (614-00-6)	mg/kg	0.002	< 0.002	< 0.002
N-Nitrosodiisononylamine (NDiNA) (1207995-62-7)	mg/kg	0.010	< 0.010	< 0.010
N-Nitrosodibenzylamine (NDBzA) (5336-53-8)	mg/kg	0.001	0.007	0.003
N-Nitrosodiethanolamine (NDELA) (1116-54-7)	mg/kg	0.005	< 0.005	< 0.005
Total	mg/kg		0.038	0.166
Quantity allowed, max. ^[1]	mg/kg		0.05	1.0
Conclusion total			Pass	Pass

Note:

For the summation of all Nitrosamines only those with a result above the limit of quantification will be taken into account.

^[1] according to DIN EN 71-12:2017-03

*** End of test report ***

This document is issued by the Company subject to its General Conditions of Service (<https://www.sgs.com/de-de/agn>). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is an original. If the document is submitted digitally, it is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note: The sample(s) to which the findings recorded herein (the "findings ") relate was (were) probably drawn and / or provided by the client or by a third party acting at the client's direction. In this case the findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.